

Program LEQ Professional v. 6-2014 dla Windows

Projekt:

C:\Users\Biuro\Desktop\Hałas\Wariant alternatywny\Hałas wariant alternatywny.dat

Dane do obliczeń :

Współczynnik gruntu (całogo obszaru analizy)-global G = 0.500

Temperatura otoczenia 10 [°C]

róża punktowe

Nr	X [m]	Y [m]	z [m]	Pma	Symbol
1	488.2	672.0	0.5	54.8	T1
2	486.0	682.7	0.5	54.8	T2
3	506.4	681.0	0.5	54.8	T3
4	501.7	691.6	0.5	54.8	T4
5	507.8	703.4	1.0	98.0	£
6	366.0	530.0	0.5	62.3	P
7	374.6	536.1	0.5	62.3	P
8	383.1	542.2	0.5	62.3	P
9	391.7	548.3	0.5	62.3	P
10	400.2	554.4	0.5	62.3	P
11	408.8	560.6	0.5	62.3	P
12	417.3	566.7	0.5	62.3	P
13	425.9	572.8	0.5	62.3	P
14	434.4	578.9	0.5	62.3	P
15	443.0	585.0	0.5	62.3	P
16	447.0	597.0	0.5	62.3	P
17	451.6	606.6	0.5	62.3	P
18	456.1	616.1	0.5	62.3	P
19	460.7	625.7	0.5	62.3	P
20	465.3	635.3	0.5	62.3	P
21	469.9	644.9	0.5	62.3	P
22	474.4	654.4	0.5	62.3	P
23	479.0	664.0	0.5	62.3	P
24	476.2	636.8	1.0	79.0	PK
25	476.8	698.8	1.0	79.0	B

Ekrany akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1 [m]	Y1 [m]	X2 [m]	Y2 [m]	X3 [m]	Y3 [m]	X4 [m]	Y4 [m]	h0 [m]	h [m]
1	318.0	660.0	325.2	648.8	346.0	662.0	339.6	673.2	0.0	4.0
2	335.6	628.8	341.2	618.4	358.0	628.0	352.4	638.4	0.0	3.5
3	336.4	597.2	342.0	600.8	348.8	590.0	342.8	586.0	0.0	3.0
4	373.2	572.4	378.0	564.4	393.6	575.6	388.4	582.8	0.0	3.0
5	422.8	517.2	429.2	505.2	437.6	509.6	430.8	521.6	0.0	3.0
6	432.8	480.4	436.0	473.6	448.8	482.0	444.8	488.4	0.0	3.0
7	452.8	485.6	458.4	490.0	462.4	484.0	456.0	479.6	0.0	2.5
8	492.8	542.4	500.0	548.8	522.0	522.0	515.2	516.0	0.0	4.0
9	521.6	578.4	526.0	573.2	507.2	559.6	504.0	564.0	0.0	4.5
10	506.4	557.6	514.4	548.0	534.0	564.0	527.2	573.2	0.0	5.0

11	536.0	600.0	547.2	609.6	551.2	605.6	540.0	594.8	0.0	3.0
12	564.4	623.2	576.8	633.6	580.4	628.8	567.2	618.8	0.0	3.0
13	552.0	598.4	571.6	614.8	619.2	557.2	598.8	540.8	0.0	6.0
14	551.2	538.8	569.2	554.8	573.6	551.2	554.4	535.6	0.0	3.5
15	528.8	499.6	532.4	503.6	535.2	500.4	531.2	496.4	0.0	3.0
16	620.4	615.6	625.2	620.8	628.8	617.2	623.6	612.4	0.0	3.0
17	465.6	620.4	476.0	629.2	488.0	614.4	477.6	606.0	0.0	5.0
18	357.8	540.4	405.9	575.4	407.3	573.5	358.6	538.8	0.0	2.0
19	405.9	574.6	353.8	661.7	355.5	663.1	407.9	574.3	0.0	2.0
20	354.1	662.0	414.6	710.1	416.8	710.1	355.8	661.7	0.0	2.0
21	414.6	709.8	517.6	728.9	519.3	727.5	413.8	708.4	0.0	2.0
22	517.4	728.3	519.3	728.3	551.8	693.0	550.1	691.9	0.0	2.0
23	564.1	677.9	573.1	666.2	572.0	665.0	563.0	677.1	0.0	2.0
24	572.8	666.7	573.4	665.6	474.0	581.9	472.8	583.3	0.0	2.0
25	474.2	581.9	419.9	551.9	419.4	553.9	472.3	582.7	0.0	2.0
26	420.2	552.5	370.6	519.4	369.5	521.1	419.6	553.9	0.0	2.0
27	551.2	692.4	476.4	629.6	488.0	614.8	563.2	678.0	0.0	5.0

WSPÓŁCZYNNIKI ODBICIA DLA ŁECIAN

Nr	łeciana 1	łeciana 2	łeciana 3	łeciana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000
5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000
7	1.0000	1.0000	1.0000	1.0000	1.0000
8	1.0000	1.0000	1.0000	1.0000	1.0000
9	1.0000	1.0000	1.0000	1.0000	1.0000
10	1.0000	1.0000	1.0000	1.0000	1.0000
11	1.0000	1.0000	1.0000	1.0000	1.0000
12	1.0000	1.0000	1.0000	1.0000	1.0000
13	1.0000	1.0000	1.0000	1.0000	1.0000
14	1.0000	1.0000	1.0000	1.0000	1.0000
15	1.0000	1.0000	1.0000	1.0000	1.0000
16	1.0000	1.0000	1.0000	1.0000	1.0000
17	1.0000	1.0000	1.0000	1.0000	1.0000
18	1.0000	1.0000	1.0000	1.0000	1.0000
19	1.0000	1.0000	1.0000	1.0000	1.0000
20	1.0000	1.0000	1.0000	1.0000	1.0000
21	1.0000	1.0000	1.0000	1.0000	1.0000
22	1.0000	1.0000	1.0000	1.0000	1.0000
23	1.0000	1.0000	1.0000	1.0000	1.0000
24	1.0000	1.0000	1.0000	1.0000	1.0000
25	1.0000	1.0000	1.0000	1.0000	1.0000
26	1.0000	1.0000	1.0000	1.0000	1.0000
27	1.0000	1.0000	1.0000	1.0000	1.0000

Punkty obserwacji

Nr	Symbol	X [m]	Y [m]	z [m]
1		431.6	814.1	4.0
2		641.9	590.2	4.0

3	572.0	530.3	4.0
4	488.4	474.4	4.0
5	421.9	487.2	4.0
